



Goby, Inc.
33 N LaSalle, Suite 500
Chicago, IL 60602
www.gobyinc.com

Verification Report – Ventas 2019 CDP Submission

Goby, Inc. is in a contractual agreement with Ventas, Inc. to collect and compile the necessary data required to provide the energy consumption and GHG calculations that support the 2019 CDP report. In 2018, the consumption data was collected from Ventas for electricity, natural gas and other major CO₂ emitting fuels.

Responsibilities of Ventas and the Verification Provider

The management of Ventas has primary responsibilities for the preparation and content of its CDP Response. Goby's statement represents its independent opinion on the content and accuracy of the information and environmental data within.

Goby's Data Collection Process

The following processes were utilized to collect and compile the data for the 2019 CDP Assessment:


- 2018 consumption data was provided to Goby directly from third party energy suppliers and utility companies in the format of either an invoice, flat file, or other raw consumption data to be reviewed, analyzed, and validated into Goby's data management system. Each invoice was validated for accuracy by identifying any discrepancies and outliers prior to inputting in the Goby platform.
- After all data was inputted into the Goby platform, a missing data and data validation report was provided to Ventas for review to provide any additional data or clarifications. After all data was confirmed, the greenhouse gases were then calculated using The Climate Registry General Verification Protocol Version 2.1 (Released June 2014) standard.
- All relevant data is exported from the Goby platform to be broken down by each scope of GHG emissions, as applicable. The data was further verified by Goby teams to address any changes in property type and number of facilities.
- On a monthly basis, Goby will update utility data and property data as available for each building
- On a monthly basis, Goby will pull the monthly average temperature for weather normalization from NOAA based on local zip code
- Goby performs quality assurance tracking for reporting errors and large outliers in data
- Data and utility invoices will be pulled automatically into Goby via sites' online utility accounts, where available, and will manually load utility data from bills where online logins are not available
- Any invoices are stored in a cloud based file sharing program as a document repository



Goby, Inc.
33 N LaSalle, Suite 500
Chicago, IL 60602
www.gobyinc.com

Data Validation Process and Methodology

Below is a flow chart of the Goby Data Validation Process for how primary and secondary data are reviewed.



All utility data in the Goby platform is assessed based on the below validation rules. If any data is above or below the listed Error Type's then a flag is generated within the platform and a Goby Team member responds to that item. Data is reviewed based on various Interval periods to assess for potential errors.

Goby Platform Automated Validations			
Validation Rule	Error Type	Interval	Utility Type(s)
• Average Consumption per Day per Meter (if meter level data available) • Average Consumption per Day per Building (if meter level data unavailable)	Exceeds Threshold Percentage Change (+/-)	• Current Billing Period vs. Previous Billing Period • Current Billing Period vs. Same Billing Period Last Year	• Energy • Water • Waste
Total Cost Per Bill	Exceeds Threshold Percentage Change (+/-)	• Current Billing Period vs. Previous Billing Period • Current Billing Period vs. Same Billing Period Last Year	• Energy • Water • Waste
• Average Cost per Day per Meter (if meter level data available) • Average Cost per Day per Building (if meter level data unavailable)	Exceeds Threshold Percentage Change (+/-)	• Current Billing Period vs. Previous Billing Period • Current Billing Period vs. Same Billing Period Last Year	• Energy • Water • Waste



Goby, Inc.
33 N LaSalle, Suite 500
Chicago, IL 60602
www.gobyinc.com

Goby Review Process

Phase 1 Review

Reviewed utility data for the following outliers:
- Variance across all periods of time
- Total usages compared to building square footage

Phase 2 Review

Utilize platform reporting to further identify and explore outliers across all periods and utilities for all buildings.

Phase 3 Review

Outlier analysis to identify any invoices that needed a manual review to verify data accuracy.



Stages of the Goby Platform



HISTORICAL

Historical Data Load
QA Spot Check

The Goby team will load historical utility data and monthly bills from either paper bills, utility logins, or other preferred systems in a **seamless data transfer**. This data will be saved in a central location and easily accessed from SeaSuite reports.



CONFIG

Data Configuration

SeaSuite **connects directly to utility providers** to pull data in automatically every month, removing burden and creating a painless setup process. Meter configurations will be unique to each property's specifications.



LAUNCH

Client Access

A **customized communication strategy** will be utilized to launch the platform as "live" to both executive level and property level teams. This strategy will onboard users with pragmatic training and support, including live webinars and in-person presentations.



ONGOING

Active

Our expert and **dedicated team** ensure ongoing support. This includes: ongoing meetings, data quality review, turn-key services, normalized and comparative reporting, utility bill management, etc.



Goby, Inc.
33 N LaSalle, Suite 500
Chicago, IL 60602
www.gobyinc.com

Goby has a high level of confidence with respect to the reported data. The consumption data was collected directly from the professional utility providers and input into our data management system. Once the data is extracted by the operators, Goby utilizes a separate process to automatically upload the data. Goby's validation process then begins by ensuring that the data that was provided by the operators and utility providers corresponds with what is in the Goby platform. The entry and validation process is both electronic and manual to insure greater accuracy. All data points are validated for outliers and discrepancies.

All GHG calculations are performed by Goby using the consumption data provided by the operators. Goby runs all the data through a manual recheck once exported from the platform to ensure there are no major outliers that could potentially misinterpret the data. Goby also uses the GHG Protocol to evaluate Ventas' specified environmental performance information and its adherence to the principles.

The loading of data and calculating of GHG emissions are overseen by Ashley Dauksas, Vice President of Data and Jason Franken, Director of Consulting.

ISO 14001 Alignment

The Goby processes described here are aligned with the four stages of ISO 14001. See Appendix B for details.

Scope and Limitations

The submission covered a reporting period of January 1, 2015 – December 31, 2018. Greenhouse gas (“GHG”) quantification is subject to inherent uncertainty due to such things as incomplete scientific knowledge and other factors, to precisely characterize the relationship between various inputs and the emission results. Energy use data used in GHG emissions calculations are subject to primary limitations, given the nature and the methods used for determining such data. The selection of different but acceptable measurement techniques may result in materially different measurements.

Based on our review, nothing came to our attention that caused us to believe that the selected sustainability metrics are not fairly stated.

Using the process outlined herein, Goby has assured Ventas' 2018 emissions and data points as specified in Appendix A. This represents 100% of the data that Ventas has reported to CDP.

Appendix A

2018 Energy Use and GHG Emissions		
Energy Use by Business Division		
	Sum of Electricity Usage (MWh)	Sum of Natural Gas Usage (MWh)
Medical Office	296,774.52	103,028.47
Life Science	123,900.12	74,776.24
Seniors Housing	423,989.47	354,569.84
Grand Total	844,664.10	532,374.55

GHG Emissions (Scope 1 and Scope 2) by Business Division		
	Sum of Scope 1 MTCO2e	Sum of Scope 2 MTCO2e
Medical Office	18,958.49	140,925.55
Life Science	13,552.14	45,753.74
Seniors Housing	64,431.14	153,488.88
Grand Total	96,941.77	340,168.16

2016 GHG Emissions (C5.1)		
GHG Emissions (Scope 1 and Scope 2)		
Grand Total	78,660.20	314,820.00

GHG Emissions - Scope 3		
Employee Commuting	391.7	MTCO2e
Business Travel	730.1	MTCO2e
Upstream Leased Assets	648.0	MTCO2e
Downstream transportation and distribution	4,184.8	MTCO2e
Waste	22,171.0	MTCO2e
Downstream Leased Assets	378,102.1	MTCO2e

Total Renewable Energy Generated (MWh)				
	FY 2014	FY 2015	FY 2016	FY 2017
	252.51	228.03	230.02	231.02
				324.38



Goby, Inc.
33 N LaSalle, Suite 500
Chicago, IL 60602
www.gobyinc.com

Appendix B

ISO 14001: Plan-Do-Check-Act Alignment

Plan:

- Incorporate the Plan-Do-Check-Act model in setting environmental objectives to comply with legal and environmental sustainability certification, such as ENERGY STAR, LEED and city-benchmarking requirements
- Configure the Entity's sustainability and CDP projects within the Goby Platform
- Configure CDP tasks and association with users
- Perform up to 2 training sessions for the Entity's on the Goby Platform to cover necessary feature, functions, and access.
- Provide program management and strategy for historical waste data collection and set up of ongoing tracking process
 - Goby will provide data entry services, where necessary.

Do:

- Provide consulting services on energy efficiency, sustainability, ENERGY STAR, CDP and LEED for the Entity's environmental goals
 - Goby will conduct periodical meetings to strategize on energy efficiency, water consumption and waste production

Check:

- Analyze the Entity's portfolio environmental impact in terms of energy consumption, water use and waste generation for ENERGY STAR and city-wide benchmarking and environmental sustainability certification requirements
- Establish and monitor programs to meet environmental objectives

Act:

- Evaluate performance against targets.
- Provide feedback and suggestions for improvement.
- Relay information and provide guidance for the Entity's employee environmental awareness and competence
- Review the Entity's CDP, Sustainability and Community Modules through the Goby Platform with continuous modifications and improvements following the Plan-Do-Check-Act mode.

Please note the Goby EMS is aligned with the four stages of ISO 14001 EMS standards as indicated in the steps above.